

CODEBOOK

Michigan State of the State 27
945 cases

Weight Variable: statewt

CONTENTS

item		page
ID1	Case Identification Number	1
R1	Data Record I	1
cnty		2
regn	Region	4
random	Random Digit	4
CC1	Past Financial	5
CC2	Future Financial	5
CC3	Current Financial	6
CC4	Inflation Rate	6
CC5	Unemployment Rate	7
CC6	Business Conditions	7
PO2	Engler Rating	8
PO1	Bush Rating	8
PO1a	Bush Rating Terrorism	9
TL1	Performance Term Limits	9
TL3	Fate Term Limits	10
rx2	New/Existing Medication	10
rx3	Medication Packaging	11
rx3a	Written Instructions Packaging	11
rx3b	Extent Read Information	12
rx4	Information Sheets	12
rx4b	Extent Read Information Sheet	13
rx6a	Understand Frequency Dosage Information	13
rx6b	Understand Duration Information	14
rx6c	Understand Amount Dosage Information	14
rx6d	Understand Risks/Side Effects	15
rx8	Ask Assistance Information	15
rx9	Type Assistance	16
rx9a	Questions Answered	16
rx10	Ease Understand Information	17
rx11	Experience Side Effects	17
rx12@a	Side Effects - 1st Mention	18
rx12@b	Side Effects - 2nd Mention	19
rx13	Side Effects Any Medication	19
rx14@a	Side Effects Any Medication - 1st Mention	20
rx14@b	Side Effects Any Medication - 2nd Mention	21
T1	Concern Terrorist Attack	22
SEC8	Concern Bio-Terrorism	22
CG1	Confidence Federal Government	23
CG2	Responsibility Attack	23
CG4a	Prepared Local Government - Terrorist	24
CG4b	Prepared Local Government - Bio-terrorism	24
wt1	Neighborhood Watch Groups	25
wt2	Service Personnel	25
wt3	Special Citizen Patrols	26
w1	Benefits Vary	26
w1a	Wisconsin - Michigan (Benefit)	27
w1b	Indiana - Michigan (Benefit)	27

item		page
w1c	Ohio - Michigan (Benefit)	28
w2	Benefit Duration	28
w2a@a	Receive Benefits - Old Law	29
w2a@b	Unit (Benefits - Old Law)	30
w2b@a	Receive Benefits - New Law	30
w2b@b	Units (Benefits - Old Law)	31
w2c	Wisconsin - Michigan (Length Time)	31
w2d	Indiana - Michigan (Length Time)	32
w2e	Ohio - Michigan (Length Time)	32
w3	Ever Receive Benefits	33
w3a	Currently Receive Benefits	33
w4	Ever Received Food Stamps	34
w4a	Currently Receive Benefits	34
w5	Ever Receive Medicaid	34
w5a	Currently Receive Medicaid	35
w6	Extended Family Benefits	35
w7	Considered Assistance	36
w7a	Reason Did Not Apply	36
w8	Information Welfare Laws	37
CD1	Gender	37
CD2	Year Born	38
CD3	Education	40
CD5a	Ethnicity	40
CD4a@a	White - Caucasian	41
CD4a@b	African American or Black	41
CD4a@c	Hawaiian Pacific Islander	42
CD4a@d	Asian	42
CD4a@e	American Indian/Alaskan	43
CD6	Religion	43
CD7@a	Political Affiliation	44
CD7@b	Republican	44
CD7@c	Democrat	45
CD7@d	Independent	45
partyid	Political Affiliation	46
P17@a	Political Ideology	46
P17@b	Conservative	47
P17@c	Liberal	47
P17@d	Middle	48
ideology	Political Ideology	48
CD8	Marital Status	49
CD10	Adults	49
CD11	Children	50
CD15	Employment Status	50
rx1	Health Professional	51
UN1	Union Member	51
UN2	Past Union Member	52
UN3	Union Family Member	52
I1	Internet Use	53
I2	Where Access Internet	53
EG1	Visit Health Websites	54
inca	\$35,000 or More	54

item		page
incb	Less Than \$20,000	55
incc	Less than \$10,000	55
incd	\$60,000 or More	55
ince	\$40,000 or More	56
incf	\$50,000 or More	56
incg	\$70,000 or More	57
income	missing	57
CD26	Phone Lines	58
X1	Community	58
w9	Residency Michigan	59
w9a	Previous State Resident	61
UR1a	Well Being Michigan	62
UR1b	Well Being Detroit	63
zipcode	Zip Code	63
RI@a	Re-Interview	64
contacts	Contacts	64
length	Length	65
idate	Interview Date	66
iwere	Interviewer	68
racess	Respondent Race	69
mult2	Multiple Racial IDs	69
agecat	Rs age in categories	70
adjwt	Weight adj for phones adults race gender age within re	70
msuereg	Region code based on MSU Extension Groupings	70
msuewt	weight by MSU region	71
statewt	Weight for Statewide Estimates	71
rac3	Race 3 categories	71
AGE	Age of Respondent	72

ID1 Case Identification Number

945 cases

Type: character Width: 5

Input location: 1/1-5

R1 Data Record I

PCT	N	VALUE
100.0	945	1

945 cases

Type: character Width: 1

Input location: 1/6

cnty

PCT	N	VALUE
0.2	2	26001
0.2	2	26003
1.0	9	26005
0.2	2	26007
0.5	5	26009
0.2	2	26011
0.5	4	26015
1.2	11	26017
0.2	2	26019
1.2	11	26021
0.3	3	26023
1.0	9	26025
0.5	5	26027
0.7	7	26029
0.3	3	26031
0.7	7	26033
0.2	2	26035
1.8	17	26037
0.1	1	26039
0.2	1	26041
0.3	3	26043
1.4	13	26045
0.2	2	26047
6.1	58	26049
0.3	3	26051
0.2	2	26053
0.8	8	26055
0.5	4	26057
0.7	7	26059
0.7	7	26061
0.6	5	26063
3.2	30	26065
0.4	4	26067
0.5	4	26069
0.1	1	26071
0.5	5	26073
1.9	18	26075
2.3	22	26077
0.2	2	26079
5.6	53	26081
0.1	1	26085
0.7	7	26087
0.2	2	26089
0.8	8	26091
1.7	16	26093
0.3	2	26095
8.6	81	26099
0.2	2	26101
0.6	6	26103
0.4	4	26105

November 4, 2002

0.5	5	26107
0.1	1	26109
0.8	8	26111
0.5	5	26113
1.9	18	26115
0.9	8	26117
1.3	12	26121
0.3	3	26123
9.7	91	26125
0.2	2	26127
0.2	2	26129
0.2	2	26133
0.1	1	26135
0.1	1	26137
2.7	25	26139
0.1	1	26141
0.1	1	26143
0.9	8	26145
1.2	11	26147
0.4	4	26149
0.3	3	26151
0.7	6	26155
0.8	7	26157
0.9	8	26159
5.7	54	26161
18.0	170	26163
0.3	3	26165

945 cases

Type: character Width: 5

Input location: 1/7-11

regn Region

Region

PCT	N	VALUE	LABEL
3.3	31	1	UPPER PENINSULA
5.7	54	2	NORTHERN MICHIGAN
14.2	134	3	WEST CENTRAL
8.7	82	4	EAST CENTRAL
13.8	130	5	SOUTHWEST
45.7	431	6	SOUTHEAST
8.7	82	7	DETROIT

945 cases

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 7

Input location: 1/12

random Random Digit

PCT	N	VALUE	LABEL
47.8	451	1	
52.2	493	2	

945 cases

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 2

Input location: 1/13

CC1 Past Financial

I'd like to start by asking you a few questions about how things are going for Michigan residents in general.

Would you say that you (and your family living there) are better off or worse off financially than you were a year ago?

PCT	N	VALUE	LABEL
36.7	344	1	BETTER OFF
28.1	264	2	ABOUT THE SAME
35.2	330	3	WORSE OFF
	3	8	DO NOT KNOW
	4	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 3

Input location: 1/14

CC2 Future Financial

Now looking ahead, do you think that a year from now, you (and your family living there) will be better off financially or worse off financially?

PCT	N	VALUE	LABEL
64.3	537	1	BETTER OFF
21.8	182	3	ABOUT THE SAME
13.9	116	5	WORSE OFF
	107	8	DO NOT KNOW
	2	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/15

November 4, 2002

CC3 Current Financial

How would you rate your household's overall financial situation these days?
Would you say it is excellent, good, just fair, not so good, or poor?

PCT	N	VALUE	LABEL
8.0	75	1	EXCELLENT
57.4	538	2	GOOD
26.4	248	3	JUST FAIR
5.2	49	4	NOT SO GOOD
3.0	28	5	POOR
	1	8	DO NOT KNOW
	5	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/16

CC4 Inflation Rate

During the next twelve months, do you think the rate of inflation
in this country will go up, will go down, or will stay about the same as it
was in the past 12 months?

PCT	N	VALUE	LABEL
51.7	464	1	GO UP
7.1	64	3	GO DOWN
41.2	369	5	STAY ABOUT THE SAME
	47	8	DO NOT KNOW
	1	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/17

CC5 Unemployment Rate

Twelve months from now, do you expect the unemployment situation in this country to be better than, worse than, or about the same as it was in the last 12 months?

PCT	N	VALUE	LABEL
27.4	252	1	BETTER THAN
33.1	305	3	WORSE THAN
39.5	364	5	ABOUT THE SAME
	22	8	DO NOT KNOW
	2	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/18

CC6 Business Conditions

Now turning to business conditions in your community, do you think that during the next twelve months your community will have good times financially, or bad times financially?

PCT	N	VALUE	LABEL
53.5	485	1	GOOD TIMES
34.0	308	3	BAD TIMES
12.5	113	5	NEITHER
	35	8	DO NOT KNOW
	3	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/19

PO2 Engler Rating

Next, just a couple questions about our elected officials.

How would you rate the way John Engler is performing his job as Michigan's governor?

Would you say excellent, good, fair, or poor?

PCT	N	VALUE	LABEL
6.7	59	1	EXCELLENT
31.7	282	2	GOOD
36.2	321	3	FAIR
25.5	226	4	POOR
	41	8	DO NOT KNOW
	15	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 4

Input location: 1/20

PO1 Bush Rating

Overall, how would you rate the way George W. Bush is performing his job as President -- would you say excellent, good, fair, or poor?

PCT	N	VALUE	LABEL
21.3	195	1	EXCELLENT
38.2	350	2	GOOD
24.6	225	3	FAIR
15.9	145	4	POOR
	24	8	DO NOT KNOW
	5	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 4

Input location: 1/21

P01a Bush Rating Terrorism

How would you rate the way George W. Bush is responding to the terrorist attacks -- would you say excellent, good, fair, or poor?

PCT	N	VALUE	LABEL
28.2	255	1	EXCELLENT
40.5	366	2	GOOD
19.8	179	3	FAIR
11.4	103	4	POOR
	36	8	DO NOT KNOW
	6	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 4

Input location: 1/22

TL1 Performance Term Limits

In 1992, voters in Michigan approved term limits for elected state officials. Under this constitutional amendment, State house members are limited to no more than six years in office, while state senators, and the Governor, Attorney General and Secretary of State are limited to no more than eight years in office.

Thinking about the performance of your own state representatives and senators, would you say term limits have made their performance better than before, worse than before, or about the same as before term limits came into effect?

PCT	N	VALUE	LABEL
25.7	213	1	BETTER THAN BEFORE
9.7	80	2	WORSE THAN BEFORE
64.7	537	3	ABOUT THE SAME
	109	8	DON'T KNOW
	5	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 3

Input location: 1/23

TL3 Fate Term Limits

Should term limits continue without change, continue with longer terms permitted, or should term limits be eliminated?

PCT	N	VALUE	LABEL
62.1	531	1	CONTINUE TERM LIMITS WITHOUT CHANGE
14.3	122	2	CONTINUE TERM LIMITS WITH LONGER TERMS
23.5	201	3	ELIMINATE TERM LIMITS
	78	8	DON'T KNOW
	12	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 3

Input location: 1/24

rx2 New/Existing Medication

The next set of questions are about prescription medicines and drugs that you may have obtained from a pharmacy or a clinic. I am not going to ask you about specific prescriptions that you may take. Instead, I am going to ask you about information you might receive when you get prescription medication.

When answering the following questions, please think about the last prescription that you had filled. If you had more than one prescription filled at that time, please think only about one of the medications.

Was this a medication you had taken before, or was this the first time you used the medication?

PCT	N	VALUE	LABEL
66.4	610	1	MEDICATION TAKEN BEFORE
25.2	231	5	FIRST TIME USED MEDICATION
8.4	77	7	NEVER HAD A PRESCRIPTION
	17	8	DO NOT KNOW
	10	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 7

Input location: 1/25

rx3 Medication Packaging

Did the medication come in the original manufacturers' container or package or was it in a different container, such as a small brown bottle?

PCT	N	VALUE	LABEL
32.1	268	1	ORIGINAL CONTAINER OR PACKAGE
67.9	569	5	DIFFERENT CONTAINER
	22	8	DO NOT KNOW
	10	9	REFUSED
	77	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/26

rx3a Written Instructions Packaging

Did the original container or package have written instructions on it about when to take the medicine or any warnings about side effects or drug interactions?

PCT	N	VALUE	LABEL
89.4	236	1	YES
10.6	28	5	NO
	4	8	DO NOT KNOW
	0	9	REFUSED
	676	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/27

rx3b Extent Read Information

Thinking about this information, did you just glance at the information, did you skim through the information, or did you thoroughly read the information?

PCT	N	VALUE	LABEL
9.3	22	1	JUST GLANCE AT THE INFORMATION
19.4	46	3	SKIM THE INFORMATION
57.2	135	5	THOROUGHLY READ THE INFORMATION
14.1	33	7	DID NOT READ IT AT ALL
	1	8	DO NOT KNOW
	0	9	REFUSED
	708	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 7

Input location: 1/28

rx4 Information Sheets

Oftentimes, pharmacies or clinics provide an additional sheet of information about the medication which includes instructions for taking the medication as well as information about side effects or drug interactions.

Do you recall receiving a sheet of information the last time you had a prescription filled?

PCT	N	VALUE	LABEL
86.4	737	1	YES
13.6	116	5	NO
	8	8	DO NOT KNOW
	7	9	REFUSED
	77	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/29

rx4b Extent Read Information Sheet

Thinking about this information, did you just glance at the information, did you skim through the information, or did you thoroughly read the information?

PCT	N	VALUE	LABEL
11.0	81	1	JUST GLANCE AT THE INFORMATION
24.0	177	3	SKIM THE INFORMATION
57.3	422	5	THOROUGHLY READ THE INFORMATION
7.7	56	7	DID NOT READ IT AT ALL
	0	8	DO NOT KNOW
	0	9	REFUSED
	208	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 7

Input location: 1/30

rx6a Understand Frequency Dosage Information

How well did you understand the instructions about how many times a day to take the medication?

Would you say you understood completely, fairly well, not very well, or not well at all?

PCT	N	VALUE	LABEL
91.4	782	1	COMPLETELY
8.4	72	2	FAIRLY WELL
0.1	1	3	NOT VERY WELL
0.1	1	4	NOT WELL AT ALL
	6	8	DO NOT KNOW
	7	9	REFUSED
	77	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 4

Input location: 1/31

rx6b Understand Duration Information

How well did you understand the instructions on how long to take the medication?

Would you say you understood completely, fairly well, not very well, or not well at all?

PCT	N	VALUE	LABEL
89.5	756	1	COMPLETELY
9.5	80	2	FAIRLY WELL
0.3	2	3	NOT VERY WELL
0.7	6	4	NOT WELL AT ALL
	17	8	DO NOT KNOW
	8	9	REFUSED
	77	.	Not Applicable

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 4

Input location: 1/32

rx6c Understand Amount Dosage Information

How well did you understand the instructions about how much (the dosage) of the medicine to take?

(Would you say you understood completely, fairly well, not very well, or not well at all?)

PCT	N	VALUE	LABEL
91.3	780	1	COMPLETELY
8.1	69	2	FAIRLY WELL
0.6	5	3	NOT VERY WELL
0.0	0	4	NOT WELL AT ALL
	7	8	DO NOT KNOW
	7	9	REFUSED
	77	.	Not Applicable

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 3

Input location: 1/33

rx6d Understand Risks/Side Effects

How well did you understand any warnings about the risks of taking this medication?

(Would you say understood them completely, fairly well, not very well, or not well at all?)

PCT	N	VALUE	LABEL
70.2	599	1	COMPLETELY
22.9	195	2	FAIRLY WELL
3.2	27	3	NOT VERY WELL
2.4	20	4	NOT WELL AT ALL
1.3	11	7	NO WARNINGS, DOES NOT APPLY
	7	8	DO NOT KNOW
	7	9	REFUSED
	77	.	Not Applicable

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 7

Input location: 1/34

rx8 Ask Assistance Information

Did you ask anyone else other than a doctor or nurse, such as a member of your family or a friend, for assistance in understanding how to use this medicine?

PCT	N	VALUE	LABEL
10.7	91	1	YES
89.3	760	5	NO
	8	8	DO NOT KNOW
	9	9	REFUSED
	77	.	Not Applicable

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/35

rx9 Type Assistance

What did you ask them to help you with?

PCT	N	VALUE	LABEL
20.4	18	1	HOW TO TAKE, DOSAGE, USE, ETC
16.7	15	2	UNDERSTANDING LANGUAGE, WORDS
24.6	22	3	SIDE EFFECTS, REACTIONS, SAFETY
9.3	8	4	DRUG INTERACTIONS
2.4	2	5	DETERMINE CORRECT MEDICATION
13.2	12	6	OPINION DRUG EFFECTIVENESS
13.4	12	90	MISCELLANEOUS
	3	98	DO NOT KNOW
	0	99	REFUSED
	854	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 90

Input location: 1/36-37

rx9a Questions Answered

After asking for help, were all your questions about how to take this medication answered?

PCT	N	VALUE	LABEL
97.8	88	1	YES
2.2	2	5	NO
	0	8	DO NOT KNOW
	1	9	REFUSED
	854	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/38

rx10 Ease Understand Information

Overall, is the information on prescription medicine very easy to understand, somewhat easy, somewhat difficult, or very difficult to understand?

PCT	N	VALUE	LABEL
64.4	548	1	VERY EASY
28.5	242	2	SOMEWHAT EASY
6.1	52	3	SOMEWHAT DIFFICULT
1.1	9	4	VERY DIFFICULT
	10	8	DO NOT KNOW
	7	9	REFUSED
	77	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 4

Input location: 1/39

rx11 Experience Side Effects

Did you have any problems with this medicine such as an adverse reaction or unexpected side-effect?

PCT	N	VALUE	LABEL
6.7	57	1	YES
93.3	795	5	NO
	9	8	DO NOT KNOW
	7	9	REFUSED
	77	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/40

rx12@a Side Effects - 1st Mention

What kinds of reactions or unexpected side effects did you experience with this medication?

PCT	N	VALUE	LABEL
12.1	6	1	DIZZINESS, WEAKNESS, FATIGUE
5.7	3	2	SLEEPY, TIRED
18.1	10	3	NAUSEA, VOMITING
15.5	8	4	RASH, ITCHING, HIVES,
6.5	3	5	SWELLING
1.6	1	6	BURNING SENSATIONS
0.5	0	7	HAIR LOSS
8.9	5	8	BRUISING
0.3	0	9	BLEEDING, BLOOD PROBLEMS
0.0	0	10	BREATHING DIFFICULTIES
0.5	0	11	CHEST PAIN, HEART RATE
11.4	6	12	HEADACHES, MIGRAINE
0.0	0	13	DEPRESSION
0.0	0	14	HALLUCINATIONS
0.0	0	15	YEAST INFECTION
2.4	1	19	NERVOUSNESS, SLEEPLESSNESS
11.0	6	20	ALLERGIC REACTION - NOT SPECIFIED
5.5	3	90	MISCELLANEOUS
	2	98	DO NOT KNOW
	2	99	REFUSED
	888	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 90

Input location: 1/41-42

November 4, 2002

rx12@b Side Effects - 2nd Mention

PCT	N	VALUE	LABEL
39.3	5	1	DIZZINESS, WEAKNESS, FATIGUE
4.2	1	2	SLEEPY, TIRED
2.0	0	3	NAUSEA, VOMITING
0.0	0	4	RASH, ITCHING, HIVES,
0.0	0	5	SWELLING
0.0	0	6	BURNING SENSATIONS
0.0	0	7	HAIR LOSS
0.0	0	8	BRUISING
18.4	2	9	BLEEDING, BLOOD PROBLEMS
4.2	1	10	BREATHING DIFFICULTIES
0.0	0	11	CHEST PAIN, HEART RATE
0.0	0	12	HEADACHES, MIGRAINE
0.0	0	13	DEPRESSION
0.0	0	14	HALLUCINATIONS
0.0	0	15	YEAST INFECTION
0.0	0	19	NERVOUSNESS, SLEEPLESSNESS
1.9	0	20	ALLERGIC REACTION - NOT SPECIFIED
15.3	2	90	MISCELLANEOUS
	42	95	NO OTHERS
14.7	2	98	DO NOT KNOW
	2	99	REFUSED
	888	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 99,95
Decimals: 0 Max: 98

Input location: 1/43-44

rx13 Side Effects Any Medication

Have you ever had any problems with any medications such as adverse reactions or unexpected side-effects?

PCT	N	VALUE	LABEL
42.3	363	1	YES
57.7	494	5	NO
	4	8	DO NOT KNOW
	7	9	REFUSED
	77	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/45

rx14@a Side Effects Any Medication - 1st Mention

What kinds of reactions or unexpected side effects did you experience?

PCT	N	VALUE	LABEL
10.6	37	1	DIZZINESS, WEAKNESS, FATIGUE
4.1	14	2	SLEEPY, TIRED
22.1	77	3	NAUSEA, VOMITING
20.4	71	4	RASH, ITCHING, HIVES,
4.3	15	5	SWELLING
0.3	1	6	BURNING SENSATIONS
0.2	1	7	HAIR LOSS
0.2	1	8	BRUISING
2.4	8	9	BLEEDING, BLOOD PROBLEMS
3.4	12	10	BREATHING DIFFICULTIES
3.5	12	11	CHEST PAIN, HEART RATE
3.8	13	12	HEADACHES, MIGRAINE
0.3	1	13	DEPRESSION
3.2	11	14	HALLUCINATIONS
0.2	1	15	YEAST INFECTION
6.1	21	19	NERVOUSNESS, SLEEPLESSNESS
9.2	32	20	ALLERGIC REACTION - NOT SPECIFIED
5.5	19	90	MISCELLANEOUS
	13	98	DO NOT KNOW
	3	99	REFUSED
	582	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 90

Input location: 1/46-47

November 4, 2002

rx14@b

Side Effects Any Medication - 2nd Mention

PCT	N	VALUE	LABEL
12.0	17	1	DIZZINESS, WEAKNESS, FATIGUE
3.4	5	2	SLEEPY, TIRED
17.8	25	3	NAUSEA, VOMITING
14.1	20	4	RASH, ITCHING, HIVES,
10.7	15	5	SWELLING
0.6	1	6	BURNING SENSATIONS
0.3	0	7	HAIR LOSS
0.0	0	8	BRUISING
0.5	1	9	BLEEDING, BLOOD PROBLEMS
3.4	5	10	BREATHING DIFFICULTIES
4.4	6	11	CHEST PAIN, HEART RATE
10.0	14	12	HEADACHES, MIGRAINE
0.0	0	13	DEPRESSION
0.2	0	14	HALLUCINATIONS
0.0	0	15	YEAST INFECTION
3.0	4	19	NERVOUSNESS, SLEEPLESSNESS
2.3	3	20	ALLERGIC REACTION - NOT SPECIFIED
9.4	13	90	MISCELLANEOUS
	214	95	NO OTHERS
7.8	11	98	DO NOT KNOW
	6	99	REFUSED
	582	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 99,95
 Decimals: 0 Max: 98

Input location: 1/48-49

November 4, 2002

T1 Concern Terrorist Attack

Now a few questions about your feelings since the terrorist attacks on America last September 11th.

All in all, how concerned are you that the United States might suffer another terrorist attack in the next 3 months?

Would you say you are very concerned, somewhat concerned, not very concerned, or not concerned at all?

PCT	N	VALUE	LABEL
34.0	321	1	VERY CONCERNED
45.1	425	2	SOMEWHAT CONCERNED
17.1	161	3	NOT VERY CONCERNED
3.8	35	4	NOT CONCERNED AT ALL
	1	8	DON'T KNOW
	1	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 4

Input location: 1/50

SEC8 Concern Bio-Terrorism

(How concerned are you) that you or someone in your family might become a victim of a bio-terrorist attack (such as anthrax or smallpox)?

(Would you say you are very concerned, somewhat concerned, not very concerned, or not concerned at all)?

PCT	N	VALUE	LABEL
22.0	207	1	VERY CONCERNED
33.0	310	2	SOMEWHAT CONCERNED
30.9	290	3	NOT VERY CONCERNED
14.1	133	4	NOT CONCERNED AT ALL
	3	8	DON'T KNOW
	2	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 4

Input location: 1/51

CG1 Confidence Federal Government

How much confidence do you have in the ability of the U.S. government to prevent further terrorist attacks against Americans in this country?

Would you say a great deal, a good amount, only a fair amount or none at all?

PCT	N	VALUE	LABEL
15.9	149	1	A GREAT DEAL
38.2	358	2	A GOOD AMOUNT
37.2	349	3	ONLY A FAIR AMOUNT
8.7	82	4	NONE AT ALL
	5	8	DO NOT KNOW
	2	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 4

Input location: 1/52

CG2 Responsibility Attack

How much responsibility do you personally believe the U.S. bears for the hatred that led to the terrorist attacks?

Would you say a lot of responsibility, some, a little, or none at all?

PCT	N	VALUE	LABEL
18.9	174	1	A LOT
35.5	327	2	SOME
22.3	205	3	A LITTLE
23.3	214	4	NONE AT ALL
	16	8	DO NOT KNOW
	8	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 4

Input location: 1/53

CG4a Prepared Local Government - Terrorist

How well prepared do you think state and local government is for a potential terrorist attack in Michigan?

Would you say very prepared, somewhat prepared, not very prepared or not prepared at all?

PCT	N	VALUE	LABEL
8.6	38	1	VERY PREPARED
67.0	294	2	SOMEWHAT PREPARED
18.5	81	3	NOT VERY PREPARED
5.9	26	4	NOT PREPARED AT ALL
	10	8	DO NOT KNOW
	2	9	REFUSED
	493	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 4

Input location: 1/54

CG4b Prepared Local Government - Bio-terrorism

How well prepared do you think state and local government is for a potential bio-terrorist attack in Michigan?

Would you say very prepared, somewhat prepared, not very prepared or not prepared at all?

PCT	N	VALUE	LABEL
6.5	30	1	VERY PREPARED
60.6	280	2	SOMEWHAT PREPARED
22.4	104	3	NOT VERY PREPARED
10.6	49	4	NOT PREPARED AT ALL
	30	8	DO NOT KNOW
	0	9	REFUSED
	451	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 4

Input location: 1/55

wt1 Neighborhood Watch Groups

It has been suggested that in addition to law enforcement officials, other individuals or groups can play a role in identifying potential terrorists.

How much of a role do you think each of the following should play in helping identify potential terrorists?

Neighborhood Watch Groups.

Should they play a major role, a minor role or no role at all?

PCT	N	VALUE	LABEL
34.4	318	1	MAJOR ROLE
56.6	523	3	MINOR ROLE
9.0	84	5	NO ROLE AT ALL
	14	8	DO NOT KNOW
	6	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/56

wt2 Service Personnel

Service personnel such as telephone repair persons, meter readers, and delivery persons?

(Should they play a major role, a minor role or no role at all?)

PCT	N	VALUE	LABEL
36.9	338	1	MAJOR ROLE
48.9	449	3	MINOR ROLE
14.2	130	5	NO ROLE AT ALL
	23	8	DO NOT KNOW
	5	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/57

wt3 Special Citizen Patrols

Special citizen patrols created solely for the purpose of looking for suspicious activity in your neighborhood?

(Should they play a major role, a minor role or no role at all?)

PCT	N	VALUE	LABEL
35.0	324	1	MAJOR ROLE
43.3	401	3	MINOR ROLE
21.8	202	5	NO ROLE AT ALL
	9	8	DO NOT KNOW
	9	9	REFUSED

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/58

w1 Benefits Vary

Now, I am going to ask you some questions about welfare. By welfare, I am referring to Michigan's cash assistance program known as the Family Independence Program. The Family Independence Program provides cash assistance to pregnant women and families with children to help them pay for living expenses. This program used to be known as Aid to Families with Dependent Children or AFDC.

Do you think the cash benefits paid to welfare recipients are the same in every state or does it vary from state to state?

PCT	N	VALUE	LABEL
2.4	21	1	BASICALLY THE SAME
97.6	837	5	MICHIGAN
	84	8	DO NOT KNOW
	2	9	REFUSED

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/59

w1a Wisconsin - Michigan (Benefit)

Do you think Wisconsin's cash benefit is higher or lower than Michigan's cash benefit?

PCT	N	VALUE	LABEL
36.7	174	1	HIGHER
63.3	300	5	LOWER
	442	8	DO NOT KNOW
	5	9	REFUSED
	23	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/60

w1b Indiana - Michigan (Benefit)

What about Indiana?

(Do you think Indiana's cash benefit is higher or lower than Michigan's cash benefit?)

PCT	N	VALUE	LABEL
33.3	160	1	HIGHER
66.7	321	5	LOWER
	439	8	DO NOT KNOW
	1	9	REFUSED
	23	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 1/61

w1c Ohio - Michigan (Benefit)

What about Ohio?

(Do you think Ohio's cash benefit is higher or lower than Michigan's cash benefit?)

PCT	N	VALUE	LABEL
36.9	179	1	HIGHER
63.1	305	5	LOWER
	436	8	DO NOT KNOW
	1	9	REFUSED
	23	.	Not Applicable

945 cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/62

w2 Benefit Duration

Do you think the length of time someone can collect welfare benefits is the same in every state or does it vary from state to state?

PCT	N	VALUE	LABEL
5.9	50	1	BASICALLY THE SAME
94.1	796	5	VARIES FROM STATE TO STATE
	97	8	DO NOT KNOW
	2	9	REFUSED

945 cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 1/63

w2a@a

Receive Benefits - Old Law

Michigan recently made a change in the law that regulates the length of time a person can receive cash assistance.

What do you think was the length of time someone could receive cash assistance under the old law?

PCT	N	VALUE	LABEL
36.2	221	0	NO LIMIT
12.5	76	1	TIME FRAME
12.0	73	2	
5.8	35	3	
0.2	1	4	
10.0	61	5	
6.3	38	6	
0.6	3	7	
1.8	11	8	
1.2	7	9	
2.3	14	10	
1.6	9	12	
0.0	0	13	
1.0	6	15	
7.0	43	18	
0.3	2	20	
0.0	0	21	
0.4	3	24	
0.1	1	31	
0.4	3	40	
0.1	0	45	
0.1	0	48	
0.2	1	50	TIME FRAME
	328	98	DO NOT KNOW
	5	99	REFUSED

945 cases

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 50

Input location: 2/7-8

November 4, 2002

w2a@b Unit (Benefits - Old Law)

PCT	N	VALUE	LABEL
81.0	316	1	YEARS
19.0	74	2	MONTHS
	554	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: none
 Decimals: 0 Max: 2

Input location: 2/9

w2b@a Receive Benefits - New Law

Under the new law, what do you think is the length of time a person can receive cash assistance?

PCT	N	VALUE	LABEL
3.4	20	0	NO LIMIT
25.4	151	1	TIME FRAME
23.4	139	2	
12.1	72	3	
3.7	22	4	
9.6	57	5	
11.1	66	6	
0.7	4	7	
0.4	2	8	
1.4	8	9	
0.3	2	10	
0.3	2	11	
1.8	11	12	
0.1	1	15	
0.4	2	16	
0.0	0	17	
4.6	27	18	
0.1	1	19	
0.8	5	24	
0.0	0	26	
0.1	1	39	
0.0	0	50	TIME FRAME
	346	98	DO NOT KNOW
	4	99	REFUSED

945 cases			

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 39

Input location: 2/10-11

w2b@b Units (Benefits - Old Law)

PCT	N	VALUE	LABEL
78.2	448	1	YEARS
21.8	125	2	MONTHS
	371	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: none
 Decimals: 0 Max: 2

Input location: 2/12

w2c Wisconsin - Michigan (Length Time)

Do you think the length of time someone can receive cash benefits in Wisconsin is the same as in Michigan, longer in Wisconsin, or shorter in Wisconsin?

PCT	N	VALUE	LABEL
22.5	115	1	BASICALLY THE SAME
37.5	191	3	LONGER IN WISCONSIN
40.0	204	5	SHORTER IN
	378	8	DO NOT KNOW
	6	9	REFUSED
	50	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/13

w2d Indiana - Michigan (Length Time)

What about Indiana?

(Is the length of time someone can receive cash benefits in Indiana the same as in Michigan, longer in Indiana, or shorter in Indiana?)

PCT	N	VALUE	LABEL
23.6	112	1	BASICALLY THE SAME
38.3	182	3	LONGER IN INDIANA
38.1	181	5	SHORTER IN
	413	8	DO NOT KNOW
	6	9	REFUSED
	50	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/14

w2e Ohio - Michigan (Length Time)

What about Ohio?

(Is the length of time someone can receive cash benefits in Ohio the same as in Michigan, longer in Ohio, or shorter in Ohio?)

PCT	N	VALUE	LABEL
31.2	146	1	BASICALLY THE SAME
34.9	163	3	LONGER IN OHIO
33.9	159	5	SHORTER IN
	420	8	DO NOT KNOW
	6	9	REFUSED
	50	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/15

w3 Ever Receive Benefits

Have you or any of your dependents ever received cash assistance through AFDC or FIP?

PCT	N	VALUE	LABEL
16.9	158	1	YES
83.1	775	5	NO
	12	8	DO NOT KNOW
	0	9	REFUSED

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 2/16

w3a Currently Receive Benefits

Are you or any of your dependents currently receiving welfare benefits?

PCT	N	VALUE	LABEL
12.3	19	1	YES
87.7	137	5	NO
	1	8	DO NOT KNOW
	0	9	REFUSED
	787	.	Not Applicable

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 2/17

w4 Ever Received Food Stamps

Have you or any of your dependents ever received food stamps?

PCT	N	VALUE	LABEL
21.2	199	1	YES
78.8	739	5	NO
	6	8	DO NOT KNOW
	0	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 2/18

w4a Currently Receive Benefits

Are you or any of your dependents currently receiving food stamps?

PCT	N	VALUE	LABEL
16.2	32	1	YES
83.8	167	5	NO
	0	8	DO NOT KNOW
	0	9	REFUSED
	746	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 2/19

w5 Ever Receive Medicaid

Have you or any of your dependents ever received Medicaid?

PCT	N	VALUE	LABEL
27.3	254	1	YES
72.7	676	5	NO
	15	8	DO NOT KNOW
	0	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 2/20

w5a Currently Receive Medicaid

Are you or any of your dependents currently receiving Medicaid?

PCT	N	VALUE	LABEL
44.0	111	1	YES
56.0	141	5	NO
	2	8	DO NOT KNOW
	0	9	REFUSED
	691	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/21

w6 Extended Family Benefits

Has anyone in your extended family, (such as your sister, brother, or parents) ever received cash assistance, food stamps, or Medicaid?

PCT	N	VALUE	LABEL
34.2	312	1	YES
65.8	601	5	NO
	32	8	DO NOT KNOW
	0	9	REFUSED

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/22

w7 Considered Assistance

Have you ever thought that you might be eligible for cash assistance but did not apply for it?

PCT	N	VALUE	LABEL
22.3	209	1	YES
77.7	725	5	NO
	10	8	DO NOT KNOW
	0	9	REFUSED

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 2/23

w7a Reason Did Not Apply

Why did you decide not to apply for cash assistance?

PCT	N	VALUE	LABEL
7.9	16	1	DID NOT THINK ELIGIBLE
3.0	6	2	UNAWARE SERVICES, HELP AVAILABLE
7.3	15	3	WAS NOT ELIGIBLE
21.3	43	4	PRIDE, TOO PROUD, STIGMA ATTACHED
12.9	26	5	LEARNED LIVE WITH LESS
10.6	21	6	WORKED MORE
9.0	18	7	RATHER WORK
9.8	20	8	NOT WORTH HASSLE, PAPERWORK
8.0	16	9	OTHERS NEEDED HELP MORE
10.2	21	90	MISCELLANEOUS
	6	98	DO NOT KNOW
	0	99	REFUSED
	736	.	Not Applicable

945 cases

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 90

Input location: 2/24-25

w8 Information Welfare Laws

Where do you get most of your information on welfare laws and programs?

IWER: PLEASE FIELD CODE RESPONSE.

PCT	N	VALUE	LABEL
44.3	388	1	NEWSPAPERS
21.5	189	2	TELEVISION
1.9	17	3	CASEWORKER
14.1	124	4	FAMILY/FRIENDS/COWORKERS
0.5	4	5	CHURCH
6.3	55	6	THE STATE GOV/FIA
3.0	26	7	SCHOOL
2.1	18	8	INTERNET
0.0	0	9	POLITICAL GROUP
4.2	37	90	MISCELLANEOUS
2.2	19	91	NONE-NO SOURCE
	62	98	DO NOT KNOW
	6	99	REFUSED

945 cases

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 91

Input location: 2/26-27

CD1 Gender

Now, I have a few background questions. These are for statistical analysis purposes only.

PCT	N	VALUE	LABEL
48.4	458	1	MALE
51.6	487	5	FEMALE

945 cases

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 5

Input location: 2/28

CD2

Year Born

In what year were you born?

PCT	N	VALUE	LABEL
0.0	0	7	
0.1	1	8	
0.0	0	10	
0.3	2	11	
0.0	0	13	
0.2	1	14	
0.1	1	15	
0.3	3	16	
0.1	1	17	
0.1	1	18	
0.7	7	19	
0.3	3	20	
0.5	4	21	
0.3	3	22	
0.4	4	23	
0.9	8	24	
1.2	11	25	
0.4	4	26	
1.0	9	27	
1.1	10	28	
1.1	10	29	
0.9	8	30	
1.3	12	31	
1.1	10	32	
0.8	7	33	
0.6	5	34	
2.0	19	35	
0.7	7	36	
0.4	4	37	
0.9	9	38	
0.6	5	39	
1.4	13	40	
1.2	12	41	
1.1	10	42	
1.2	11	43	
1.4	13	44	
0.5	4	45	
1.3	12	46	
2.0	19	47	
2.3	22	48	
0.6	6	49	
1.6	16	50	
2.9	28	51	
1.4	13	52	
2.0	19	53	
1.5	14	54	
2.7	26	55	
2.1	20	56	

November 4, 2002

1.3	12	57
3.5	33	58
2.0	19	59
1.2	11	60
2.2	21	61
2.4	22	62
1.4	13	63
4.0	38	64
1.9	18	65
2.6	25	66
1.9	18	67
1.5	14	68
2.1	20	69
2.5	24	70
1.3	13	71
0.9	9	72
1.7	16	73
1.8	17	74
2.0	19	75
2.1	20	76
1.0	9	77
1.5	14	78
0.9	9	79
3.4	32	80
0.4	4	81
1.4	13	82
1.3	12	83
3.2	30	84
0.1	1	998
1.0	10	999

945 cases

Type: numeric Min: 7 MD Codes: none
Decimals: 0 Max: 999

Input location: 2/29-31

CD3 Education

What is the highest level of education you have completed?

PCT	N	VALUE	LABEL
0.1	0	0	DID NOT GO TO SCHOOL
0.0	0	1	GRADE
0.3	2	5	
0.0	0	7	
2.8	26	8	
0.3	2	9	
1.3	12	10	
3.4	32	11	GRADE
28.6	268	12	HIGH SCHOOL GRAD OR GED
13.6	128	13	COLLEGE
11.7	110	14	
5.6	53	15	COLLEGE
15.9	149	16	COLLEGE GRADUATE
3.7	35	17	SOME POST GRADUATE
9.7	91	18	GRADUATE DEGREE
3.0	28	20	TECHNICAL/JUNIOR COLLEGE GRAD
	4	98	DO NOT KNOW
	3	99	REFUSED

945 cases

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 20

Input location: 2/32-33

CD5a Ethnicity

Are you of Hispanic, Latino, or Spanish origin?

PCT	N	VALUE	LABEL
3.6	33	1	YES, HISPANIC
96.4	901	5	NO, NOT HISPANIC
	10	9	

945 cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/34

CD4a@a White - Caucasian

What is your race?

PCT	N	VALUE	LABEL
81.4	769	1	YES
17.3	163	5	NO
	0	8	DO NOT KNOW
	0	9	REFUSED
1.4	13	999	

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 999

Input location: 2/35-37

CD4a@b African American or Black

African American or Black?

PCT	N	VALUE	LABEL
12.9	122	1	YES
85.8	810	5	NO
	0	8	DO NOT KNOW
	0	9	REFUSED
1.3	12	999	

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 999

Input location: 2/38-40

CD4a@c Hawaiian Pacific Islander

Hawaiian or other Pacific Islander

PCT	N	VALUE	LABEL
0.2	2	1	YES
98.5	930	5	NO
	0	8	DO NOT KNOW
	0	9	REFUSED
1.3	12	999	

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 999

Input location: 2/41-43

CD4a@d Asian

Asian?

PCT	N	VALUE	LABEL
1.3	12	1	YES
97.4	920	5	NO
	0	8	DO NOT KNOW
	0	9	REFUSED
1.3	12	999	

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 999

Input location: 2/44-46

CD4a@e American Indian/Alaskan

American Indian or Alaska Native?

PCT	N	VALUE	LABEL
0.7	7	1	YES
98.0	926	5	NO
	0	8	DO NOT KNOW
	0	9	REFUSED
1.3	12	999	

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 999

Input location: 2/47-49

CD6 Religion

What is the religious group which you feel most closely represents your religious views?

(Is it Catholic, Islamic, Jewish, Protestant, some other religion, or no religion)?

PCT	N	VALUE	LABEL
9.5	87	0	NONE; NO RELIGIOUS GROUP
28.1	258	1	CATHOLIC; ROMAN CATHOLIC, ORTHODOX
0.4	4	2	ISLAMIC/MUSLIM
0.6	5	3	JEWISH
57.8	529	4	PROTESTANT
1.1	10	5	OTHER NON-CHRISTIAN
0.0	0	6	OTHER CHRISTIAN
2.5	23	7	OTHER: MISCELLANEOUS
	11	8	DO NOT KNOW
	18	9	REFUSED

945 cases			

Type: numeric Min: 0 MD Codes: 9,8
Decimals: 0 Max: 7

Input location: 2/50

CD7@a Political Affiliation

Generally speaking, do you think of yourself as a Republican, a Democrat, an Independent or something else?

PCT	N	VALUE	LABEL
10.0	90	0	
33.9	304	1	REPUBLICAN
23.5	211	4	INDEPENDENT
32.6	293	7	DEMOCRAT
	31	8	DO NOT KNOW
	16	9	REFUSED

	945		cases

Type: numeric Min: 0 MD Codes: 9,8
 Decimals: 0 Max: 7

Input location: 2/51

CD7@b Republican

Would you call yourself a strong Republican or not a very strong Republican?

PCT	N	VALUE	LABEL
46.9	141	1	STRONGLY REPUBLICAN
53.1	160	2	NOT VERY STRONG REPUBLICAN
	2	8	DO NOT KNOW
	1	9	REFUSED
	641	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 2

Input location: 2/52

CD7@c Democrat

Would you call yourself a strong Democrat or not a very strong Democrat?

PCT	N	VALUE	LABEL
45.2	132	6	NOT VERY STRONG DEMOCRAT
54.8	160	7	STRONG DEMOCRAT
	0	8	DO NOT KNOW
	0	9	REFUSED
	652	.	Not Applicable

945 cases			

Type: numeric Min: 6 MD Codes: 9,8
 Decimals: 0 Max: 7

Input location: 2/53

CD7@d Independent

Do you generally think of yourself as closer to the Democratic Party or the Republican Party?

PCT	N	VALUE	LABEL
30.5	64	3	REPUBLICAN
38.6	82	4	NEITHER
30.9	65	5	DEMOCRAT
	0	8	DO NOT KNOW
	0	9	REFUSED
	734	.	Not Applicable

945 cases			

Type: numeric Min: 3 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/54

```

partyid          Political Affiliation

      PCT      N      VALUE LABEL
10.0    90          0  Other
15.8   141          1  strong republican
17.9   160          2  not strong rep
   7.2    64          3  lean republican
   9.1    82          4  neither
   7.3    65          5  lean democrat
14.8   132          6  not strong dem
17.9   160          7  strong democrat
          31          8  DO NOT KNOW
          16          9  REFUSED
           2          .  Not Applicable
-----
          945 cases

```

```

Type: numeric      Min: 0      MD Codes: 9,8
Decimals:    0      Max: 7

```

Input location: 2/55

```

P17@a          Political Ideology

```

Generally speaking, do you think of yourself as a conservative, a moderate, or a liberal?

```

      PCT      N  VALUE LABEL
   2.5    21      0
46.1   399      1  CONSERVATIVE
37.0   321      4  NEITHER
14.5   125      7  LIBERAL
          65      8  DO NOT KNOW
          13      9  REFUSED
-----
          945 cases

```

```

Type: numeric      Min: 0      MD Codes: 9,8
Decimals:    0      Max: 7

```

Input location: 2/56

P17@b Conservative

Would you consider yourself very conservative or somewhat conservative?

PCT	N	VALUE	LABEL
25.2	100	1	VERY CONSERVATIVE
74.8	297	2	SOMEWHAT CONSERVATIVE
	1	8	DO NOT KNOW
	0	9	REFUSED
	545	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 2

Input location: 2/57

P17@c Liberal

PCT	N	VALUE	LABEL
64.3	80	6	SOMEWHAT LIBERAL
35.7	44	7	VERY LIBERAL
	2	8	DO NOT KNOW
	0	9	REFUSED
	819	.	Not Applicable

	945		cases

Type: numeric Min: 6 MD Codes: 9,8
 Decimals: 0 Max: 7

Input location: 2/58

P17@d

Middle

Do you generally think of yourself as closer to the conservative side or the liberal side?

PCT	N	VALUE	LABEL
41.7	132	3	CLOSER CONSERVATIVE
16.8	53	4	IN THE MIDDLE
41.6	132	5	CLOSER LIBERAL
	2	8	DO NOT KNOW
	1	9	REFUSED
	624	.	Not Applicable

945 cases			

Type: numeric Min: 3 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/59

ideology

Political Ideology

PCT	N	VALUE	LABEL
0.0	0	0	other
11.9	100	1	very conservative
35.4	297	2	somewhat conservative
15.8	132	3	lean conservative
6.4	53	4	middle
15.7	132	5	lean liberal
9.5	80	6	somewhat liberal
5.3	44	7	very liberal
	65	8	DO NOT KNOW
	13	9	REFUSED
	27	.	OTHER

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 7

Input location: 2/60

November 4, 2002

CD8 Marital Status

Next, I have just a couple of questions about you and your family.

What is your marital status?

(Are you currently married, divorced, separated, widowed, member of an unmarried couple, or have you never been married?)

PCT	N	VALUE	LABEL
0.0	0	0	OTHER
63.4	596	1	MARRIED
7.7	72	2	DIVORCED
1.0	9	3	SEPARATED
6.6	62	4	WIDOWED
1.3	12	5	MEMBER UNMARRIED COUPLE
20.1	188	6	SINGLE NEVER BEEN MARRIED
	5	9	REFUSED

945 cases			

Type: numeric Min: 0 MD Codes: 9,8
Decimals: 0 Max: 6

Input location: 2/61

CD10 Adults

Including yourself, how many individuals who are 18 years of age or older live in your household?

PCT	N	VALUE	LABEL
17.7	167	1	ADULTS
59.6	561	2	
14.4	135	3	
4.7	44	4	
1.2	11	5	
2.4	23	6	
	0	98	DO NOT KNOW
	3	99	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 6

Input location: 2/62-63

CD11 Children

How many children under the age of 18 are currently living in your household?

PCT	N	VALUE	LABEL
57.1	534	0	CHILDREN
16.5	154	1	
15.8	148	2	
7.2	68	3	
2.0	19	4	
1.3	12	5	
0.0	0	6	
0.1	1	7	CHILDREN
	0	8	DO NOT KNOW
	8	9	REFUSED

945 cases

Type: numeric Min: 0 MD Codes: 9,8
Decimals: 0 Max: 7

Input location: 2/64

CD15 Employment Status

We are interested in learning about the different ways people may earn their living. Last week, were you working full-time, part-time, going to school, a home-maker or something else?

PCT	N	VALUE	LABEL
54.6	509	1	WORK FULL TIME
8.7	81	2	WORK PART TIME
3.2	30	3	WORK AND GO TO SCHOOL
0.0	0	4	IN THE ARMED FORCES
0.2	2	5	JOB, DID NOT WORK LAST WEEK
1.6	15	6	UNEMPLOYED
15.6	146	7	RETIRED
4.0	37	8	SCHOOL FULL-TIME
10.1	94	9	HOMEMAKER
1.9	18	10	DISABLED
	4	98	DO NOT KNOW
	10	99	REFUSED

945 cases

Type: numeric Min: 1 MD Codes: 99,98
Decimals: 0 Max: 10

Input location: 2/65-66

rx1 Health Professional

Are you a health professional (such as a doctor, nurse, emergency medical worker) or are you involved in health or medical services of some kind?

PCT	N	VALUE	LABEL
15.1	94	1	YES
84.9	528	5	NO
	0	8	DO NOT KNOW
	0	9	REFUSED
	323	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/67

UN1 Union Member

Are you currently a member of a union or are you represented by a union?

PCT	N	VALUE	LABEL
23.9	149	1	YES
76.1	473	5	NO
	0	8	DO NOT KNOW
	0	9	REFUSED
	323	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/68

UN2 Past Union Member

Have you ever been a member of a union or represented by a union?

PCT	N	VALUE	LABEL
31.2	247	1	YES
68.8	544	5	NO
	2	8	DO NOT KNOW
	4	9	REFUSED
	149	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/69

UN3 Union Family Member

Is anyone else in your household a member of a union or represented by a union?

PCT	N	VALUE	LABEL
20.9	195	1	YES
79.1	739	5	NO
	7	8	DO NOT KNOW
	4	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 2/70

I1 Internet Use

How often, if at all, do you access the Internet, either for the purposes of sending e-mail or visiting or browsing the "world wide web"?

Would you say daily, 3 to 4 times a week, once a week, a couple of times a month, once a month, a few times a year, or never?

PCT	N	VALUE	LABEL
42.4	397	1	DAILY
16.8	157	2	3 TO 4 TIMES A WEEK
5.5	52	3	ONCE A WEEK
4.1	38	4	A COUPLE OF TIMES A MONTH
2.8	26	5	ONCE A MONTH
3.0	28	6	A FEW TIMES A YEAR
25.4	238	7	NEVER
	4	8	DON'T KNOW
	5	9	REFUSED

945 cases

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 7

Input location: 2/71

I2 Where Access Internet

Do you access the Internet mostly from home, work, school, the library, or somewhere else?

PCT	N	VALUE	LABEL
3.5	24	0	OTHER
70.2	488	1	HOME
23.1	161	2	WORK
0.9	6	3	SCHOOL
2.0	14	4	LIBRARY
0.3	2	5	FAMILY/FRIENDS HOME
	0	8	DO NOT KNOW
	1	9	REFUSED
	247	.	Not Applicable

945 cases

Type: numeric Min: 0 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 2/72

EG1 Visit Health Websites

How often do you visit websites to get information about medicines or health?

Would you say everyday, at least once a week, at least once a month, at least once a year, or never?

PCT	N	VALUE	LABEL
0.8	5	1	EVERY DAY
9.3	65	2	AT LEAST ONCE A WEEK
24.5	170	3	AT LEAST ONCE A MONTH
31.1	216	4	AT LEAST ONCE A YEAR
34.3	238	5	NEVER
	3	8	DO NOT KNOW
	0	9	REFUSED
	247	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 2/73

inca \$35,000 or More

To get a picture of people's financial situations, we'd like to know the general range of incomes of all households we interview. This is for statistical analysis purposes and your answers will be kept strictly confidential. Now, thinking about your household's total annual income from all sources (including your job), did your household receive \$30,000 or more in 2001?

PCT	N	VALUE	LABEL
80.1	656	1	YES
19.9	163	5	NO
	58	8	DO NOT KNOW
	67	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 3/7

incb Less Than \$20,000

Was it less than \$20,000?

PCT	N	VALUE	LABEL
52.0	82	1	YES
48.0	76	5	NO
	5	8	DO NOT KNOW
	782	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 3/8

incc Less than \$10,000

Was it less an \$10,000?

PCT	N	VALUE	LABEL
16.4	13	1	YES
83.6	68	5	NOT
	2	8	DO NOT KNOW
	862	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 3/9

incd \$60,000 or More

Was it \$60,000? or more?

PCT	N	VALUE	LABEL
58.6	373	1	YES
41.4	264	5	NO
	6	8	DO NOT KNOW
	14	9	REFUSED
	289	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 3/10

ince \$40,000 or More

Was it \$40,000 or more?

PCT	N	VALUE	LABEL
62.2	158	1	YES
37.8	96	5	NO
	9	8	DO NOT KNOW
	1	9	REFUSED
	681	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 3/11

incf \$50,000 or More

Was it \$50,000 or more?

PCT	N	VALUE	LABEL
42.2	60	1	YES
57.8	83	5	NO
	14	8	DO NOT KNOW
	1	9	REFUSED
	787	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 3/12

incg \$70,000 or More

Was it more than \$70,000?

PCT	N	VALUE	LABEL
73.3	264	1	YES
26.7	96	5	NO
	1	8	DO NOT KNOW
	12	9	REFUSED
	572	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 5

Input location: 3/13

income missing

PCT	N	VALUE	LABEL
1.4	13	1	\$10,000 or less
7.4	68	2	\$10,000-19,999
8.3	76	3	\$20,000-29,999
10.5	96	4	\$30,000-39,999
9.0	83	5	\$40,000-49,999
6.6	60	6	\$50,000-59,999
10.5	96	7	\$60,000-69,999
28.9	264	8	\$70,000 or more
17.5	160	9	REFUSED/DON'T KNOW
	29	.	Refused

	945		cases

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 9

Input location: 3/14

CD26 Phone Lines

How many different phone numbers does your household have?

PCT	N	VALUE	LABEL
90.4	851	1	PHONE NUMBERS
8.3	78	2	
1.1	10	3	
0.2	2	4	
0.0	0	5	
	0	8	DO NOT KNOW
	4	9	

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 3/15

X1 Community

Would you say you live in a rural community, a small city or town, a suburb, or an urban community?

PCT	N	VALUE	LABEL
0.5	5	0	OTHER
25.0	235	1	RURAL COMMUNITY
31.9	299	2	SMALL CITY OR TOWN, VILLAGE
26.2	246	3	A SUBURB
16.3	153	4	URBAN COMMUNITY
	2	98	DO NOT KNOW
	4	99	REFUSED

945 cases			

Type: numeric Min: 0 MD Codes: 99,98
Decimals: 0 Max: 4

Input location: 3/16-17

w9

Residency Michigan

How long have you lived in Michigan?

PCT	N	VALUE	LABEL
2.1	20	0	LESS THAN ONE YEAR
1.3	13	1	YEARS
1.0	9	2	
1.4	13	3	
0.7	7	4	
0.6	6	5	
0.3	2	6	
1.0	9	7	
0.7	7	8	
0.7	7	9	
0.7	7	10	
0.4	4	11	
0.1	1	12	
0.4	4	13	
1.4	13	14	
0.8	8	15	
0.6	6	16	
0.1	1	17	
0.6	6	18	
0.5	5	19	
0.8	7	20	
0.4	3	21	
0.7	6	22	
0.2	2	23	
0.4	3	24	
0.4	4	25	
0.7	7	26	
0.7	6	27	
0.4	4	28	
0.2	2	29	
1.7	16	30	
0.2	2	31	
0.8	7	32	
0.1	1	33	
0.3	3	34	
0.7	6	35	
0.4	4	36	
0.5	4	37	
0.6	6	38	
0.1	1	39	
0.8	7	40	
0.3	3	42	
0.2	2	43	
0.6	5	44	
0.3	3	45	
0.5	5	46	
0.1	1	47	
0.2	2	48	

November 4, 2002

0.1	1	49	
1.2	11	50	
0.1	1	51	
0.2	2	52	
0.1	1	53	
0.2	2	54	
0.1	1	55	
0.2	2	56	
0.5	5	57	
0.2	2	58	
0.1	1	59	
0.9	9	60	
0.1	1	62	
0.2	1	65	
0.2	2	66	
0.1	1	67	
0.1	1	68	
0.1	1	69	
0.6	6	70	
0.1	1	71	
0.1	1	75	
0.3	2	76	
0.2	2	82	
0.1	1	85	
0.0	0	90	YEARS
65.3	614	95	ALL MY LIFE
	1	98	DO NOT KNOW
	4	99	REFUSED

945 cases

Type: numeric Min: 0 MD Codes: 99,98
 Decimals: 0 Max: 95

Input location: 3/18-19

November 4, 2002

w9a Previous State Resident

What state did you live in before moving to Michigan?

PCT	N	VALUE	LABEL
2.1	7	1	ALABAMA
0.5	2	2	ALASKA
3.5	11	3	ARIZONA
3.3	10	4	ARKANSAS
11.8	36	5	CALIFORNIA
0.5	2	6	CONNECTICUT
3.0	9	7	COLORADO
0.0	0	8	DELAWARE
3.8	12	9	FLORIDA
1.1	3	10	HAWAII
0.0	0	11	IDAHO
0.8	3	12	IOWA
11.9	36	13	ILLINOIS
5.4	16	14	INDIANA
0.0	0	15	KANSAS
3.1	9	16	KENTUCKY
1.1	3	17	LOUISIANA
0.5	2	18	MAINE
1.1	3	19	MARYLAND
0.7	2	20	MASSACHUSETTS
1.2	4	21	MISSOURI
2.3	7	22	MISSISSIPPI
0.0	0	23	MONTANA
0.5	2	24	MINNESOTA
0.1	0	25	NEW MEXICO
0.6	2	26	NEW JERSEY
0.0	0	27	NEW HAMPSHIRE
3.7	11	28	NEW YORK
8.8	27	29	OHIO
0.0	0	30	OREGON
0.0	0	31	OKLAHOMA
0.0	0	32	NORTH DAKOTA
0.1	0	33	NORTH CAROLINA
1.9	6	34	PENNSYLVANIA
1.1	3	35	RHODE ISLAND
0.8	2	36	SOUTH CAROLINA
0.3	1	37	SOUTH DAKOTA
1.3	4	38	TENNESSEE
1.4	4	39	TEXAS
0.1	0	40	UTAH
0.4	1	41	VERMONT
2.4	7	42	VIRGINIA
1.0	3	43	WASHINGTON
0.9	3	44	WEST VIRGINIA
2.4	7	45	WISCONSIN
0.3	1	46	NEVADA
0.0	0	47	WYOMING
3.2	10	48	GEORGIA

November 4, 2002

1.0	3	49	NEBRASKA
0.6	2	50	WASH, DC
0.0	0	60	CANADA
9.3	28	70	INTERNATIONAL
	19	98	DO NOT KNOW
	4	99	REFUSED
	618	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 99,98
 Decimals: 0 Max: 70

Input location: 3/20-21

UR1a Well Being Michigan

When you think about the well-being of the state of Michigan as a whole, how important is the well-being of Michigan's cities to the overall well-being of the state?

Would you say very important, somewhat important, not very important, or not at all important?

PCT	N	VALUE	LABEL
78.4	378	1	VERY IMPORTANT
20.1	97	2	SOMEWHAT IMPORTANT
1.2	6	3	NOT VERY IMPORTANT
0.3	1	4	NOT IMPORTANT AT ALL
	9	8	DON'T KNOW
	3	9	REFUSED
	451	.	Not Applicable

	945		cases

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 4

Input location: 3/22

UR1b Well Being Detroit

When you think about the well-being of the state of Michigan as a whole, how important is the well-being of the City of Detroit to the overall well-being of the state?

Would you say very important, somewhat important, not very important, or not at all important?

PCT	N	VALUE	LABEL
46.9	204	1	VERY IMPORTANT
39.3	171	2	SOMEWHAT IMPORTANT
7.3	32	3	NOT VERY IMPORTANT
6.4	28	4	NOT IMPORTANT AT ALL
	10	8	DON'T KNOW
	7	9	REFUSED
	493	.	Not Applicable

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
 Decimals: 0 Max: 4

Input location: 3/23

zipcode Zip Code

What is your zip code?

945 cases

Type: numeric Min: 8 MD Codes: none
 Decimals: 0 Max: 49968

Input location: 3/24-28

RI@a Re-Interview

In a couple of months, we'd like to re-contact some of the people we've spoken with for a shorter interview. Would you be willing to participate again in a couple of months if it would only take 10 minutes or less?

PCT	N	VALUE	LABEL
85.6	799	1	YES
14.4	135	5	NO
	7	8	DON'T KNOW
	3	9	REFUSED

945 cases			

Type: numeric Min: 1 MD Codes: 9,8
Decimals: 0 Max: 5

Input location: 3/29

contacts Contacts

PCT	N	VALUE	LABEL
15.7	148	1	
14.5	137	2	
11.4	108	3	
9.7	92	4	
7.5	71	5	
7.0	66	6	
4.5	43	7	
3.6	34	8	
6.0	57	9	
5.3	50	10	
4.9	46	11	
2.6	25	12	
2.0	19	13	
1.8	17	14	
2.1	19	15	
0.8	7	16	
0.2	2	17	
0.1	1	18	
0.2	2	19	

945 cases			

Type: numeric Min: 1 MD Codes: none
Decimals: 0 Max: 19

Input location: 4/10-11

length		Length	
PCT	N	VALUE	LABEL
0.1	1	11	
2.3	19	12	
5.4	46	13	
9.8	82	14	
10.6	89	15	
11.6	97	16	
8.8	74	17	
9.9	83	18	
10.6	89	19	
6.7	56	20	
4.9	41	21	
5.0	42	22	
2.1	18	23	
3.6	30	24	
1.5	13	25	
1.3	11	26	
2.2	19	27	
0.7	6	28	
0.8	7	29	
0.2	1	30	
0.1	1	31	
1.0	9	32	
0.2	2	33	
0.2	2	35	
0.1	1	36	
0.0	0	38	
0.1	1	47	
	106	.	Not Applicable

945 cases			

Type: numeric Min: 11 MD Codes: none
 Decimals: 0 Max: 47

Input location: 4/12-15

idate		Interview Date	
PCT	N	VALUE	LABEL
0.7	7	8152002	
1.4	13	8162002	
0.6	6	8172002	
0.8	8	8182002	
2.6	25	8192002	
1.1	11	8202002	
1.7	16	8212002	
0.8	8	8222002	
1.0	10	8232002	
0.7	7	8242002	
0.2	2	8252002	
0.8	7	8262002	
1.5	14	8272002	
2.0	19	8282002	
1.3	12	8292002	
1.8	17	8302002	
2.2	21	8312002	
0.9	8	9012002	
1.0	9	9032002	
1.8	17	9042002	
2.5	24	9052002	
0.4	4	9062002	
1.4	13	9072002	
2.1	19	9082002	
2.5	24	9092002	
1.6	15	9102002	
0.6	6	9112002	
0.8	7	9122002	
0.2	2	9132002	
0.2	2	9142002	
2.5	24	9152002	
3.8	36	9162002	
4.0	38	9172002	
1.0	10	9182002	
0.8	8	9192002	
1.1	11	9202002	
1.3	13	9212002	
0.9	9	9222002	
1.6	15	9232002	
0.7	7	9242002	
0.6	6	9252002	
1.7	16	9262002	
1.3	12	9272002	
2.0	19	9282002	
1.1	10	9292002	
0.4	4	9302002	
0.2	2	10012002	
1.3	12	10022002	
3.6	34	10032002	
2.2	21	10042002	

November 4, 2002

1.4	14	10052002
2.5	23	10062002
3.2	30	10072002
1.6	16	10082002
1.3	13	10092002
1.0	9	10102002
2.4	22	10112002
1.1	10	10122002
2.5	23	10132002
1.0	9	10142002
2.0	19	10152002
0.8	8	10162002
1.3	13	10172002
0.3	3	10182002
0.6	6	10202002
0.4	4	10212002
0.7	7	10222002
1.9	18	10232002
0.9	8	10242002
0.7	6	10252002
0.7	6	10262002
2.2	21	10272002

945 cases

Type: numeric Min: 8152002 MD Codes: none
Decimals: 0 Max: 10272002

Input location: 4/16-23

iwier Interviewer

PCT	N	VALUE	LABEL
1.1	11	3	
0.5	4	4	
0.5	5	7	
13.2	125	14	
13.2	124	22	
7.5	70	26	
2.7	26	31	
0.9	9	47	
1.7	16	58	
2.4	22	65	
0.0	0	68	
0.5	5	72	
6.8	64	81	
1.1	11	90	
2.6	25	94	
1.2	11	117	
4.2	40	121	
5.4	51	124	
4.6	43	126	
0.2	2	127	
1.8	17	131	
0.9	9	134	
4.8	45	138	
0.7	7	148	
0.6	6	154	
1.3	13	166	
4.6	43	173	
0.9	9	192	
0.1	1	195	
4.9	47	222	
0.5	5	296	
0.3	3	297	
1.7	16	352	
0.8	8	362	
0.1	1	375	
2.9	27	497	
2.3	22	615	
0.1	1	938	

945 cases

Type: numeric Min: 3 MD Codes: none
 Decimals: 0 Max: 938

Input location: 4/24-26

November 4, 2002

races

Respondent Race

Recoded race of respondent (multiple responses coded to a single group)

PCT	N	VALUE	LABEL
85.1	787	1	White
13.2	122	2	African American
0.0	0	3	Hawaiian Pacific Islander
1.1	10	4	Asian
0.5	5	5	Native American
	20	9	REFUSED-MISSING

945 cases

Type: numeric Min: 1 MD Codes: none
 Decimals: 0 Max: 5

Input location: 4/31

mult2

Multiple Racial IDs

Coded from CD4a@a through CD4a@e

PCT	N	VALUE	LABEL
4.7	45	0	REFUSED-MISSING
94.6	894	1	Single Racial Background
0.5	4	2	Multiple Racial Backgrounds
0.0	0	3	Multiple Racial Backgrounds
0.0	0	4	Multiple Racial Backgrounds
0.2	2	5	Multiple Racial Backgrounds

945 cases

Type: numeric Min: 0 MD Codes: none
 Decimals: 0 Max: 5

Input location: 4/32

agecat Rs age in categories

PCT	N	VALUE	LABEL
12.2	114	1	18 - 24 Yrs
8.7	81	2	25 - 29 Yrs
20.4	191	3	30 - 39 Yrs
21.2	198	4	40 - 49 Yrs
15.5	144	5	50 - 59 Yrs
5.2	49	6	60 - 64 Yrs
16.9	158	7	65 or older
	10	9	REFUSED

			945 cases

Type: numeric Min: 1 MD Codes: 9
 Decimals: 0 Max: 7

Input location: 4/33

adjwt Weight adj for phones adults race gender age within region

945 cases

Type: numeric Min: 0.1092 MD Codes: 0.0000
 Decimals: 4 Max: 7.1517

Input location: 4/34-39

msuereg Region code based on MSU Extension Groupings

PCT	N	VALUE	LABEL
3.3	31	1	UP
5.7	54	2	NORTH LP
14.2	134	3	W. CENTRAL
8.7	82	4	E. CENTRAL
13.8	130	5	SOUTHWEST
54.3	513	6	SOUTHEAST URBAN

			945 cases

Type: numeric Min: 1 MD Codes: 0
 Decimals: 0 Max: 6

Input location: 4/40

msuewt weight by MSU region

945 cases

Type: numeric Min: 0.0438 MD Codes: none
Decimals: 4 Max: 10.0002

Input location: 4/41-46

staewt Weight for Statewide Estimates

945 cases

Type: numeric Min: 0.0729 MD Codes: none
Decimals: 4 Max: 16.6431

Input location: 4/47-52

rac3 Race 3 categories

PCT	N	VALUE	LABEL
2.2	20	0	Refuse-Not codable
83.3	787	1	White
12.9	122	2	African American
1.6	15	3	Other

945 cases

Type: numeric Min: 0 MD Codes: 9,7
Decimals: 0 Max: 3

Input location: 4/53

AGE	Age of Respondent		
PCT	N	VALUE	LABEL
	10	0	REFUSED/MISSING
3.2	30	18	
1.3	12	19	
1.4	13	20	
0.4	4	21	
3.5	32	22	
0.9	9	23	
1.5	14	24	
1.0	9	25	
2.1	20	26	
2.0	19	27	
1.8	17	28	
1.7	16	29	
1.0	9	30	
1.3	13	31	
2.6	24	32	
2.1	20	33	
1.5	14	34	
1.9	18	35	
2.6	25	36	
1.9	18	37	
4.1	38	38	
1.4	13	39	
2.4	22	40	
2.3	21	41	
1.2	11	42	
2.1	19	43	
3.6	33	44	
1.3	12	45	
2.1	20	46	
2.7	26	47	
1.5	14	48	
2.0	19	49	
1.4	13	50	
3.0	28	51	
1.7	16	52	
0.6	6	53	
2.4	22	54	
2.1	19	55	
1.3	12	56	
0.5	4	57	
1.4	13	58	
1.2	11	59	
1.1	10	60	
1.2	12	61	
1.4	13	62	
0.6	5	63	
0.9	9	64	
0.4	4	65	
0.7	7	66	

November 4, 2002

2.1	19	67
0.6	5	68
0.8	7	69
1.1	10	70
1.3	12	71
0.9	8	72
1.1	10	73
1.1	10	74
1.0	9	75
0.4	4	76
1.2	11	77
0.9	8	78
0.4	4	79
0.3	3	80
0.5	4	81
0.3	3	82
0.8	7	83
0.1	1	84
0.1	1	85
0.3	3	86
0.1	1	87
0.2	1	88
0.0	0	89
0.3	2	91
0.0	0	92
0.1	1	94
0.0	0	95

945 cases

Type: numeric Min: 18 MD Codes: 0
Decimals: 0 Max: 95

Input location: 4/54-56